


**LEGEND**

- 01. RHEINZINK Roof Drainage
  - a. Gutter
  - c. Gutter bracket galvanised steel
- 02. RHEINZINK Double Standing Seam - Roof
- 16. RHEINZINK Building Profile
  - a. Eaves flashing
  - c. Perforated strip
  - f. Base trim
  - j. Fascia profile
- 18. Support Profile
  - a. Galvanised steel
- 19. Separating Layer
  - a. Structured underlay VAPOZINC®
- 20. Substructure \*
  - h. OSB or Plywood Min. 18mm thick
  - i. Softwood boarding/plywood 12mm x 150mm
- 21. Batten/Squared Timber
- 23. Supporting Structure
- 30. Ventilation Air Space

\* Manufacturers instructions must be observed



**STANDARD DETAIL**

Eave + Box gutter with fascia + Structured underlay	Title	Scale
		1:2
		Size
		A3
	Detail-Nr.	Drawn
	09020203010201000112_GB_en	W.G.M.
		Date
		17.12.14

The detail describes an optional design in standard cases based on a European climate. Any user of this document is responsible to verify the feasibility of the solution with respect to the specific local situation and conditions. Using the documents provided by RHEINZINK is a service, which excludes liability for damages or claims of any kind. Contingent liability for malice or gross negligence is unaffected.